





Institute of Urban and Industrial Water Management
Chair of Process Engineering in Hydro Systems

innovation SELECTIVE DESALINATION OF MONOVALENT IONS BY APPLICATION OF NANOFILTRATION MEMBRANES IN CAPACITIVE DEIONISATION

<u>David Schödel</u>, Hanna Rosentreter, André Lerch

MELPRO 2022, Praque, 20.09.2022



... consists of 11 partners from science and industry:
































Objective of innovatION



- Development of an energy efficient desalination process for selective removal of monovalent ions from saline ground and surface waters
- Examination of potential applications and field of application with focus on water chemistry, ecological and economical aspects



Groundwater salination in the working area of OOWV [NIBIS® Kartenserver 2021 LBEG, Hannover]



Concentrations of nitrate in the catchment area for ground and raw water at "Blockhaus" treatment plant of KWN /KWN7











GEFÖRDERT VOM


Objective of innovatION






Process principle for implementation of mMCDI (monoselective membrane capacitive deionization) in desalination of saline waters





Groundwater salination in the working area of OOWV [NIBIS® Kartenserver 2021 LBEG, Hannover]




Concentrations of nitrate in the catchment area for ground and raw water at "Blockhaus" treatment plant of KWN [KWN]








Objective of innovatION




Process principle for implementation of mMCDI (monoselective membrane capacitive deionization) in desalination of saline waters





- Elicit the resulting effects and challenges of potential applications,
- Development of a holistic economicecological sustainability assessment to manage operational resource efficiency.







Work packages and project scope

Technology development

Sustainability assessment

Ion exchange membranes and composites

Automation and






laboratory and pilot plant



Module development




digital transformation

Lab/Experimental



Hybrid meshing to reduce computational effort GEFÖRDERT VOM









PI scheme

Work packages and project scope Technology application

Practical desalination and infiltration studies



[NIBIS® Kartenserver 2021 LBEG]








Scheme of a shallow, urbanized coastal region [Costall, A.R., Harris, B.D., Teo, B. et al. Sci Rep 10, 9866 (2020)]

Soil columns [UOL] Lab plant [TUD]

Practical examples Langeoog and Nienburg






TECHNISCHE

UNIVERSITÄT

Wells on Langeoog[OOWV]



Nitrate concentration of wells for Blockhaus treatment plant [KWN]



Blockhaus treatment plant [KWN]



Funding number: 02WV1572








Preliminary Results Modelling


Isotaches (top) and velocity track (bottom)

for standard diffusor shape (left) and optimized geometry (right) (Franz, 2021)

















Preliminary Results Lab plant












Funding number:

02WV1572



Preliminary Results Lab plant – Module setup








Funding number:

02WV1572


Results with old setup - Nienburg








Results with new setup – DoE










Bundesministerium für Bildung

und Forschung

Preliminary Results

Lab plant Long term experiments with Langeoog Groundwater














GEFÖRDERT VOM

Summary



- Efficient desalination process for selective removal monovalent ions
- Identifying potential application and operation ranges
- 3. Determining the effects and challenges of potential applications
- Development of a holistic economic-ecological sustainability assessment









Thank you for your attention!

www.innovat-ion.de

andre.lerch@tu-dresden.de









02WV1572



GEFÖRDERT VOM